

Work Order ID 91378

October-05-12 11:31:56 AM

91378

Page 1

Item ID: D4410-13 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Shim (212)
 Start Date: 10/05/12 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 10/12/12 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: MLS Date: 12-10-05 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4410	REV B								

100 0.00
 100 DOOSAN LATHE
 Doosan Memo 0.00
 Doosan Lathe 1-Turn as per Folio FB129 Rev: _____ & Dwg D4410 Rev: _____
 2-Deburr DAS 13 2-89 12/10/19

110 0.00
 110 QC2- Inspect parts off machine FAI/FAIB
 QC Memo 0.00
 Quality Control DAS 13 2-89 12/10/19

120 0.00
 120 QC8- Inspect parts - second check
 QC Memo 0.00
 Quality Control DAS 25 9-89 12-10-19 4

Work Order ID 91378

October-05-12 11:31:56 AM

91378

Page 2

Item ID: D4410-13

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Shim (212)

Start Date: 10/05/12 Start Qty: 4.00 ***4***

Cust Item ID:

Required Date: 10/12/12 Req'd Qty: 4.00 ***4***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

Outsource process-Anodize per QSI017 4.1.10.1

0.00

130

Outsource4

Memo

0.00

Outsource process - Anodize

Issue P/O: 10206
Black Anodize as per Dwg D4410

CY 12/10/22 (4)

140

Receive & Inspect for Damage & Mat'l Certs

0.00

140

Packaging

Memo

0.00

Packaging

12/14/22 (4)

150

QC3- Inspect Part Finish

0.00

150

QC

Memo

0.00

Quality Control

OK

DAS
16
11/16/23

(4)

Work Order ID 91378***91378***

Page 3

October-05-12 11:31:56 AM

Item ID: D4410-13

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Shim (212)

Start Date: 10/05/12 Start Qty: 4.00 ***4***

Cust Item ID:

Required Date: 10/12/12 Req'd Qty: 4.00 ***4***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

160

Identify as per dwg & Stock Location: Ce A

0.00

160

Packaging

Memo

0.00

Packaging

4

SP
12/10/25

170

QC21- Final Inspection - Work Order Release

0.00

170

QC

Memo

0.00

Quality Control

12/10/29

H/12-10-26

Picklist Print

October-05-12 11:31:55 AM

Page 1

Work Order ID: 91378

Parent Item: D4410-13

Parent Item Name: Shim (212)

Start Date: 10/05/12

Required Date: 10/12/12

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP REV:A NEW ISSUE 12/08/13 JFS VERIFY BY: JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6R1.500 6061-T6 Round Bar 1.50		Purchased	No			100	f	1.9770	0.076	0.32			

Location

MAT013

110167

Loc Qty

1.977

1.977

Loc Code

109920



.32

SA 12/10/12

1.625"
This butel only
JMS/12.10.12

ITEM NO.	QTY. -041	PART NUMBER	DESCRIPTION
1	X	D4410-041	CO-PILOT COLLECTIVE HEAD ASSEMBLY (205)
2	1	D4410-1	CO-PILOT COLLECTIVE HEAD
3	1	D4410-7	CONDUIT
4	1	D4410-11	205 SHIM
5	1	D4410-15	REAR COVER
6	4	90296A108	HELI-COIL INSERT (6-32 X 0.276)
7	1	MS171539	PIN

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 91378 MLC
12-10-05



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.55 lbs
- 8) WELD PER DART QSI 004
- 9) INSTALL AFTER ANODIZING
- 10) INSTALL AFTER ANODIZING WET WITH PROSEAL 890 OR EQUIVALENT ENSURE THAT PROSEAL DOES NOT CONTACT PIN

D4410-041 CO-PILOT COLLECTIVE HEAD ASSEMBLY (205)

B	ADD C-BORE, ZN A4-2. ENLARGE HOLES, ZN C5-3 & B8-3. UPDATE LOGO. ADD -043/-11/-13/-15. ROTATE HOLE, ZN C3-2. INCREASE -7 DIAMETER, ZN C1-6. REMOVE -9 FROM -041 ASSEMBLY, ZN C5-1.	DC	12.07.30
A	NEW ISSUE	DC	11.06.06
REV.	DESCRIPTION	BY	DATE
DESIGN	DC		
DRAWN	DC		
CHECKED	DC		
MFG. APPR.	DC		
APPROVED	DC		
DE APPR.	DC		
DATE	12.07.30		

DART AEROSPACE USA, INC.

KENT, WA

DRAWING NO.

D4410

REV. B

SHEET 1 OF 12


TITLE

CO-PILOT COLLECTIVE HEAD

NTS

COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

ITEM NO.	QTY. -043	PART NUMBER	DESCRIPTION
1	X	D4410-043	CO-PILOT COLLECTIVE HEAD ASSEMBLY (212)
2	1	D4410-1	CO-PILOT COLLECTIVE HEAD
3	1	D4410-7	CONDUIT
4	1	D4410-13	212 SHIM
5	1	D4410-15	REAR COVER
6	1	D4413-1	DOME PLUG
7	4	90296A108	HELI-COIL INSERT (6-32 X 0.276)
8	1	MS171599	PIN



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.55 lbs
- 8) WELD PER DART QSI 004
- 9) REAM TO Ø0.177 (DRILL #16)
- 10) INSTALL AFTER ANODIZING
- 11) INSTALL AFTER ANODIZING WET WITH PROSEAL 890 OR EQUIVALENT ENSURE THAT PROSEAL DOES NOT CONTACT PIN


D4410-043 CO-PILOT COLLECTIVE HEAD ASSEMBLY (212)

DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DC	DRAWING NO.	REV.
MFG. APPR.	DC	D4410	SHEET 2 OF
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	CO-PILOT COLLECTIVE HEAD	NT
DATE	12.07.30	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC.	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

RELEASE
2012-09-28
WPL



ITEM NO.	QTY. -045	PART NUMBER	DESCRIPTION
1	X	D4410-045	CO-PILOT COLLECTIVE HEAD ASSEMBLY (EAGLE SINGLE)
2	1	D4410-1	CO-PILOT COLLECTIVE HEAD
3	1	D4410-7	CONDUIT
4	1	D4410-13	212 SHIM
5	1	D4410-15	REAR COVER
6	4	90296A108	HELI-COIL INSERT (6-32 X 0.276)
7	1	MS171599	PIN



NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2 AFTER WELDING
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 1.55 lbs
- 8) WELD PER DART QSI 004
- 9) REAM TO Ø0.177 (DRILL #16)
- 10) INSTALL AFTER ANODIZING
- 11) INSTALL AFTER ANODIZING WET WITH PROSEAL 890 OR EQUIVALENT ENSURE THAT PROSEAL DOES NOT CONTACT PIN

D4410-045 CO-PILOT COLLECTIVE HEAD ASSEMBLY (EAGLE SINGLE)


DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DC	DRAWING NO.	REV. B
MFG. APPR.	DC	D4410	SHEET 3 OF 12
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


91378



VIEW A-A
C5-4



DETAIL B
C4-4



VIEW C-C
D4-4


**D4410-1 CO-PILOT COLLECTIVE HEAD
DETAIL VIEWS**

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A
 - 8) ENGRAVE "DAS" LOGO AS SHOWN 0.003 - 0.005 DP.

RELEASED
2012-09-28

DESIGN	DL	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO. D4410	REV. B
MFG. APPR.	DL	SHEET 5 OF 12	
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91370




D4410-3 FACE PLATE

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.040 THK
QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF: DART SPEC. M6061T6S.040
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.04 lbs

DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, VA	
CHECKED	DC	DRAWING NO.	REV. B
MFG. APPR.	DC	D4410	SHEET 6 OF 12
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS COVENANT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91378



D4410-5 FACE PLATE


NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.040 THK
QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF. DART SPEC. M6061T6S.040
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.04 lbs

RELEASED
2012-09-28

DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DC	DRAWING NO.	REV. B
MFG. APPR.	DC	D4410	SHEET 7 OF 12
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91378



D4410-7 CONDUIT

RELEASED
2012-09-28
JND




NOTES:

- 1) MATERIAL: 6061-T6 OR 6061-T62 ALUMINUM TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8 REF. DART SPEC. M6061T60.625W.050 $\triangle B$
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.17 lbs

DESIGN	BC	DART AEROSPACE USA, INC.	
DRAWN	BC	KENT, WA	
CHECKED	BC	DRAWING NO.	REV. B
MFG. APPR.	BC	D4410	SHEET 8 OF 12
APPROVED	BC	TITLE	SCALE
DE APPR.	BC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PROPRIETARY AND CONFIDENTIAL. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91378

$\triangle B$
 $0.250^{+0.000}_{-0.005}$
 REF



DETAIL E

D4-7

D4410-9 TRIGGER

#8-32 TAPPED HOLE




NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.250 THK
 QQ-A-250/11 OR AMS-QQ-A-250/11
 OR AMS 4025 OR AMS 4027
 OR ASTM B209
 REF. DART SPEC. M6061T6S.250
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.01 lbs

RELEASED
 2012-09-23
 AND

DESIGN	BC	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	BC		
CHECKED	BC	DRAWING NO. D4410	REV. B
MFG. APPR.	BC	SHEET 9 OF 12	
APPROVED	BC	TITLE	SCALE
DE APPR.	BC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91378



D4410-11 205 SHIM




RELEASED
2012-09-23
and

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF. DART SPEC. M6061T6R1.500
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.03 lbs

DESIGN	DL	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO.	REV. B
MFG. APPR.	DL	D4410	SHEET 10 OF 12
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	CO-PILOT COLLECTIVE HEAD NTS	
DATE	12.07.30	COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91378



D4410-13 212 SHIM



RELEASED
2012-09-28
WMP

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
REF. DART SPEC. M6061T6R1.500
- 2) FINISH: ANODIZE BLACK PER MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.03 lbs

DESIGN	DC	DART AEROSPACE USA, INC.	
DRAWN	DC	KENT, WA	
CHECKED	DC	DRAWING NO.	REV. B
MFG. APPR.	DC	D4410	SHEET 11 OF 12
APPROVED	DC	TITLE	SCALE
DE APPR.	DC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

91378



D4410-15 REAR COVER

RELEASE
2012-09-28

- NOTES:**
- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET, 0.100 THK
QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF. DART SPEC. M6061T6S.100
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 0.11 lbs

DESIGN	BC	DART AEROSPACE USA, INC.	
DRAWN	BC	KENT, WA	
CHECKED	BC	DRAWING NO.	REV. B
MFG. APPR.	BC	D4410	SHEET 12 OF 12
APPROVED	BC	TITLE	SCALE
DE APPR.	BC	CO-PILOT COLLECTIVE HEAD	NTS
DATE	12.07.30	<small>COPYRIGHT © 2011 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



A.T.G. Industries Inc.
731, rue Industrielle Rd.
PLATING DEPARTMENT
Rockland, On K4K 1T2
Canada
Ph: (613) 446-4544
Fax: (613) 446-4556

Pack List

Number: 61997

Date: 23-Oct-12

To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ship To

DART AEROSPACE LTD
1270 ABERDEEN ST.
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms		Ship Via	
Quantity	Description		
1 lot	Part: ASST 3 PCS D4410-041 1 PC D4410-043 4 PCS D4410-13 10 PCS D4410-11 12 PCS D4410-9 BLACK ANODIZE MIL-A-8625 TYPE 2 CLASS 2 Job: 20120643	Rev:	PO: PO18206
Certificate of Conformance			
A.T.G. Industries certifies that all items in this shipment are in conformance with all requirements, specifications and drawings referenced in the purchase order.			
ISO 9001 : 2008 REGISTERED ATG SALES-2010 TERMS APPLY			
DATE: <u>23/10/12</u>			
CERTIFIED SIGNATURE : _____			
RECEIVER SIGNATURE : _____			